

Würth International AG · Aspermontstrasse 1 · CH-7000 Chur To all Würth Suppliers of chemical items Zeichen AHP

T +41 81 558 03 43 pia.ahlgren@wurth-international.com

Chur, 11.04.2019

UFI ("Unique Formula Identifier") – New regulation coming up

Dear Sir / Madam

Poison centers play an important role in ensuring the safe use of chemicals and formulating preventive and curative measures in case of poisoning incidents. They provide medical advice to general consumers and physicians on health emergencies, arising from exposure to hazardous chemicals or to other toxic agents.

On average, poison centres in the EU answer 600'000 calls for support each year. Roughly, half of the calls are related to accidental exposures involving children. Under Article 45 of the CLP Regulation, economic operators placing certain hazardous mixtures on the market have to provide information to national appointed bodies. The information is needed by the poison centres. A new website has been implemented by the European Chemicals Agency, in order to facilitate the implementation of new regulations on harmonized information by companies, appointed bodies and poison centres.

The legal background can be found in CLP Article 45(4): as per 20 January 2012 the Commission shall carry out a review to assess the possibility of harmonizing the information referred to in paragraph 1, including establishing a format for the submission of information by importers and downstream users to appointed bodies.

Würth International AG · 7000 Chur · T +41 81 558 00 00 info@wurth-international.com · www.wurth-international.com Hausanschrift: Aspermontstrasse 1 · CH-7000 Chur MWST-Nr. 153548 Furthermore, in the commission Regulation (EU) 2017/542 on harmonized information relating to emergency health response/CLP Annex VIII is stated:

- Obligation for <u>importers</u> and <u>downstream users</u> placing hazardous mixtures on the market to notify national appointed bodies
- Phased deadlines by 1 January
 - o 2020 for consumer use
 - 2021 for professional use
 - o 2024 for industrial use
 - 2025 for products having already been submitted before the three deadlines above (marks end of transition period)

Practically this means, that all mixtures classified as hazardous for <u>human health</u> or <u>physical hazard</u> have to be equipped with a UFI ("Unique Formula Identifier"). The UFI is a unique code, which is integrated in the SDS and has to be printed on the label of the product. It will create an unambiguous link between a mixture placed on the market and the information on that specific mixture submitted to poison centres, so that the chemical formulation of the product can be precisely and rapidly identified. A precise identification is necessary to provide appropriate curative measures in the case of an emergency call. This requirement applies throughout the European Economic Area, which comprises 28 Member States of the EU and Norway, Iceland and Liechtenstein.

In Switzerland the Chemicals Ordinance (Chemikalienverordnung (ChemV)) was changed. The UFI must be on the packaging for hazardous products that are sold to the private public. The transition period is until 2021. UFI will be part of the product registration as well. For professional/industrial use it is still in discussion.

SAP BCS will, on behalf of Würth, assume responsibility for the generation of the UFI-Code for any Würth-branded item and also make sure that all relevant information is passed on to ECHA. Currently SAP BCS is evaluating which Würth products will fall under the new CLP Annex VIII and also if they are classified as Consumer or Professional Use within the respective country. This is very important since the deadline for consumer use items is set an earlier date than the one for professional use. Items, which have already been registered on a local level in the past, have to be equipped with a UFI as soon as there is a relevant change in classification of the product, but by 1 January 2025 at the latest. All new items have to be equipped with a UFI in accordance as per 2020 or 2021, depending on its defined use.

As soon as SAP BCS has gotten a UFI code from ECHA, the code will then be transmitted to Würth. Würth will then make sure that the code is placed on the labels and that these are submitted to you as a supplier. It is our goal not to have to scrap any labels while introducing the UFI and we will do our utmost to coordinate the project accordingly. Your support and cooperation is highly appreciated.

If you have questions, please do not hesitate to contact us at any time.

Kind regards

Würth International AG

Pia Ahlgren Head of Product Compliance Services

Andrea mute

Andrea Lämmler Product Compliance Services